



Thor Bollard

Elegant vandal resistant bollard with high performance optic offering a comfortable light and energy saving solutions

- Best in class LED optic provides a comfortable, low glare direct and indirect light with asymmetric or symmetric distribution, sympathetic to users with a lower viewing angle
- Durable and vandal resistant (IK10 40 joules for the slim version)
- Bi power dimming and presence detection options reduce energy consumption
- Available in two sizes – slim and wide – with the wide version also suitable for use as street furniture



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96264246

Material/Finish

Column and base: aluminium

Canopy: die-cast aluminum (EN AC 44300, standard corrosion class C5).

Diffuser: clear anti UV Polycarbonate

Reflector: white Polycarbonate

Gear Box: Polypropylene

Canopy and Column colour: powder coated dark grey (close to 7043)

Installation/Mounting

Slim version: suitable for Root and Flange mounting: 4 x anchor bolts M14 (96009822 to be ordered separately), spacing: 150mm.

Wide version: suitable for Flange mounting: 4 x anchor bolts M14 (to be ordered separately), spacing: 200mm.

Ready to install: prewired fittings to be connected with a connection box (to be ordered separately) through the anti vandal access door (via Torx hollow T30)

For RGB and Bi power versions choose the colour of the decorative led band or deactivate the Bi Power function at installation through the access door.

Gear box (including the driver) and head (including the LEDs) are easily replaceable as spares.

Thor Bollard

Ordering Guide Supplied complete with LEDs.

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
Thor Bollard Slim 250mA, Lit band, flange mounted				
TR B S 10L25 740 RGB R/S CL1 MPL	LED		7,664	96264229
TR B S 10L25 740 RGB ASY CL1 MPL	LED		7,664	96264230
TR B S 10L25 730 RGB R/S CL1 MPL	LED		7,664	96264231
TR B S 10L25 730 RGB ASY CL1 MPL	LED		7,664	96264232
TR B S 10L25 740 RGB R/S CL2 MPL	LED		7,664	96264237
TR B S 10L25 740 RGB ASY CL2 MPL	LED		7,664	96264238
TR B S 10L25 730 RGB R/S CL2 MPL	LED		7,664	96264239
TR B S 10L25 730 RGB ASY CL2 MPL	LED		7,664	96264240
Thor Bollard Slim 250mA, No lit band, flange mounted				
TR B S 10L25 740 R/S CL1 MPL	LED		7,664	96264225
TR B S 10L25 740 ASY CL1 MPL	LED		7,664	96264226
TR B S 10L25 730 R/S CL1 MPL	LED		7,664	96264227
TR B S 10L25 730 ASY CL1 MPL	LED		7,664	96264228
TR B S 10L25 740 R/S CL2 MPL	LED		7,664	96264233
TR B S 10L25 740 ASY CL2 MPL	LED		7,664	96264234
TR B S 10L25 730 R/S CL2 MPL	LED		7,664	96264235
TR B S 10L25 730 ASY CL2 MPL	LED		7,664	96264236
Thor Bollard Slim 250mA, Lit band, root mounted				
TR B S 10L25 740 RGB R/S CL1 MGR	LED		9,3	96264245
TR B S 10L25 740 RGB ASY CL1 MGR	LED		9,3	96264246
TR B S 10L25 730 RGB R/S CL1 MGR	LED		9,3	96264247
TR B S 10L25 730 RGB ASY CL1 MGR	LED		9,3	96264248
TR B S 10L25 740 RGB R/S CL2 MGR	LED		9,3	96264253
TR B S 10L25 740 RGB ASY CL2 MGR	LED		9,3	96264254
TR B S 10L25 730 RGB R/S CL2 MGR	LED		9,3	96264255
TR B S 10L25 730 RGB ASY CL2 MGR	LED		9,3	96264256
Thor Bollard Slim 250mA, No lit band, root mounted				
TR B S 10L25 740 R/S CL1 MGR	LED		9,3	96264241
TR B S 10L25 740 ASY CL1 MGR	LED		9,3	96264242
TR B S 10L25 730 R/S CL1 MGR	LED		9,3	96264243
TR B S 10L25 730 ASY CL1 MGR	LED		9,3	96264244
TR B S 10L25 740 R/S CL2 MGR	LED		9,3	96264249
TR B S 10L25 740 ASY CL2 MGR	LED		9,3	96264250
TR B S 10L25 730 R/S CL2 MGR	LED		9,3	96264251
TR B S 10L25 730 ASY CL2 MGR	LED		9,3	96264252
Thor Bollard Slim 350mA, Lit band, flange mounted				
TR B S 10L35 BPSW 740 RGB R/S CL1 MPL	LED		7,7	96273274
TR B S 10L35 BPSW 740 RGB ASY CL1 MPL	LED		7,7	96273275
TR B S 10L35 BPSW 730 RGB R/S CL1 MPL	LED		7,7	96273276
TR B S 10L35 BPSW 730 RGB ASY CL1 MPL	LED		7,7	96273277

Thor Bollard

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
TR B S 10L35 BPSW 740 RGB R/S CL2 MPL	LED		7,7	96273282
TR B S 10L35 BPSW 740 RGB ASY CL2 MPL	LED		7,7	96273283
TR B S 10L35 BPSW 730 RGB R/S CL2 MPL	LED		7,7	96273284
TR B S 10L35 BPSW 730 RGB ASY CL2 MPL	LED		7,7	96273285

Thor Bollard Slim 350mA, No lit band, flange mounted

TR B S 10L35 BPSW 730 R/S CL1 MPL	LED		7,7	96273272
TR B S 10L35 BPSW 730 ASY CL1 MPL	LED		7,7	96273273
TR B S 10L35 BPSW 740 R/S CL2 MPL	LED		7,7	96273278
TR B S 10L35 BPSW 740 ASY CL2 MPL	LED		7,7	96273279
TR B S 10L35 BPSW 730 R/S CL2 MPL	LED		7,7	96273280
TR B S 10L35 BPSW 730 ASY CL2 MPL	LED		7,7	96273281
TR B S 10L35 BPSW 740 R/S CL1 MPL	LED		7,7	96273301
TR B S 10L35 BPSW 740 ASY CL1 MPL	LED		7,7	96273302

Thor Bollard Slim 350mA, Lit band, root mounted

TR B S 10L35 BPSW 740 RGB R/S CL1 MGR	LED		9,3	96273290
TR B S 10L35 BPSW 740 RGB ASY CL1 MGR	LED		9,3	96273291
TR B S 10L35 BPSW 730 RGB R/S CL1 MGR	LED		9,3	96273292
TR B S 10L35 BPSW 730 RGB ASY CL1 MGR	LED		9,3	96273293
TR B S 10L35 BPSW 740 RGB R/S CL2 MGR	LED		9,3	96273298
TR B S 10L35 BPSW 740 RGB ASY CL2 MGR	LED		9,3	96273299
TR B S 10L35 BPSW 730 RGB R/S CL2 MGR	LED		9,3	96273300
TR B S 10L35 BPSW 730 RGB ASY CL2 MGR	LED		9,3	96273303

Thor Bollard Slim 350mA, No lit band, root mounted

TR B S 10L35 BPSW 740 R/S CL1 MGR	LED		9,3	96273286
TR B S 10L35 BPSW 740 ASY CL1 MGR	LED		9,3	96273287
TR B S 10L35 BPSW 730 R/S CL1 MGR	LED		9,3	96273288
TR B S 10L35 BPSW 730 ASY CL1 MGR	LED		9,3	96273289
TR B S 10L35 BPSW 740 R/S CL2 MGR	LED		9,3	96273294
TR B S 10L35 BPSW 740 ASY CL2 MGR	LED		9,3	96273295
TR B S 10L35 BPSW 730 R/S CL2 MGR	LED		9,3	96273296
TR B S 10L35 BPSW 730 ASY CL2 MGR	LED		9,3	96273297

Thor Bollard Slim, Presence detection master, flange mounted

TR B S 10L25 MAS 740 RGB ASY CL1 MPL	LED		7,9	96265400
TR B S 10L25 MAS 730 RGB R/S CL1 MPL	LED		7,9	96265401
TR B S 10L25 MAS 730 RGB ASY CL1 MPL	LED		7,9	96265402
TR B S 10L25 MAS 740 RGB R/S CL2 MPL	LED		7,9	96265403
TR B S 10L25 MAS 740 RGB ASY CL2 MPL	LED		7,9	96265404
TR B S 10L25 MAS 730 RGB R/S CL2 MPL	LED		7,9	96265405
TR B S 10L25 MAS 730 RGB ASY CL2 MPL	LED		7,9	96265406
TR B S 10L25 MAS 740 RGB R/S CL1 MPL	LED		7,9	96265399
TR B S 10L35 MAS730 RGB R/S CL2 MPL	LED		7,7	96273304
TR B S 10L35 MAS 740 RGB ASY CL2 MPL	LED		7,7	96273305
TR B S 10L35 MAS 740 RGB R/S CL1 MPL	LED		7,7	96273306

Thor Bollard

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
TR B S 10L35 MAS 740 RGB ASY CL1 MPL	LED		7,7	96273307
TR B S 10L35 MAS 730 RGB R/S CL1 MPL	LED		7,7	96273308
TR B S 10L35 MAS 730 RGB ASY CL1 MPL	LED		7,7	96273309
TR B S 10L35 MAS 740 RGB R/S CL2 MPL	LED		7,7	96273310
TR B S 10L35 MAS 730 RGB ASY CL2 MPL	LED		7,7	96273311

Thor Bollard Slim, Presence detection master, root mounted

TR B S 10L25 MAS 740 RGB R/S CL1 MGR	LED		9,5	96265407
TR B S 10L25 MAS 740 RGB ASY CL1 MGR	LED		9,5	96265408
TR B S 10L25 MAS 730 RGB R/S CL1 MGR	LED		9,5	96265409
TR B S 10L25 MAS 730 RGB ASY CL1 MGR	LED		9,5	96265410
TR B S 10L25 MAS 740 RGB R/S CL2 MGR	LED		9,5	96265411
TR B S 10L25 MAS 740 RGB ASY CL2 MGR	LED		9,5	96265412
TR B S 10L25 MAS 730 RGB R/S CL2 MGR	LED		9,5	96265413
TR B S 10L25 MAS 730 RGB ASY CL2 MGR	LED		9,5	96265414
TR B S 10L35 MAS 740 RGB R/S CL1 MGR	LED		9,3	96273312
TR B S 10L35 MAS 740 RGB ASY CL1 MGR	LED		9,3	96273313
TR B S 10L35 MAS 730 RGB R/S CL1 MGR	LED		9,3	96273314
TR B S 10L35 MAS 730 RGB ASY CL1 MGR	LED		9,3	96273315
TR B S 10L35 MAS 740 RGB R/S CL2 MGR	LED		9,3	96273316
TR B S 10L35 MAS 740 RGB ASY CL2 MGR	LED		9,3	96273317
TR B S 10L35 MAS 730 RGB R/S CL2 MGR	LED		9,3	96273318
TR B S 10L35 MAS 730 RGB ASY CL2 MGR	LED		9,3	96273319

Thor Bollard Slim, Presence detection slave, flange mounted

TR B S 10L25 SLA 740 RGB R/S CL1 MPL	LED		7,7	96265415
TR B S 10L25 SLA 740 RGB ASY CL1 MPL	LED		7,7	96265416
TR B S 10L25 SLA 730 RGB R/S CL1 MPL	LED		7,7	96265417
TR B S 10L25 SLA 730 RGB ASY CL1 MPL	LED		7,7	96265418
TR B S 10L25 SLA 740 RGB R/S CL2 MPL	LED		7,7	96265419
TR B S 10L25 SLA 740 RGB ASY CL2 MPL	LED		7,664	96265420
TR B S 10L25 SLA 730 RGB R/S CL2 MPL	LED		7,7	96265421
TR B S 10L25 SLA 730 RGB ASY CL2 MPL	LED		7,7	96265422
TR B S 10L35 SLA 740 RGB ASY CL2 MPL	LED		7,66	96273320
TR B S 10L35 SLA 730 RGB R/S CL2 MPL	LED		7,7	96273321
TR B S 10L35 SLA 730 RGB ASY CL2 MPL	LED		7,7	96273322
TR B S 10L35 SLA 740 RGB R/S CL1 MPL	LED		7,7	96273324
TR B S 10L35 SLA 740 RGB ASY CL1 MPL	LED		7,7	96273325
TR B S 10L35 SLA 730 RGB R/S CL1 MPL	LED		7,7	96273326
TR B S 10L35 SLA 730 RGB ASY CL1 MPL	LED		7,7	96273327
TR B S 10L35 SLA 740 RGB R/S CL2 MPL	LED		7,7	96273328

Thor Bollard Slim, Presence detection slave, root mounted

TR B S 10L25 SLA 730 RGB ASY CL2 MGR	LED		9,3	96265430
TR B S 10L25 SLA 740 RGB R/S CL1 MGR	LED		9,3	96265423
TR B S 10L25 SLA 740 RGB ASY CL1 MGR	LED		9,3	96265424
TR B S 10L25 SLA 730 RGB R/S CL1 MGR	LED		9,3	96265425

Thor Bollard

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
TR B S 10L25 SLA 730 RGB ASY CL1 MGR	LED		9,3	96265426
TR B S 10L25 SLA 740 RGB R/S CL2 MGR	LED		9,3	96265427
TR B S 10L25 SLA 740 RGB ASY CL2 MGR	LED		9,3	96265428
TR B S 10L25 SLA 730 RGB R/S CL2 MGR	LED		9,3	96265429
TR B S 10L35 SLA 740 RGB ASY CL2 MGR	LED		9,3	96273334
TR B S 10L35 SLA 730 RGB R/S CL2 MGR	LED		9,3	96273335
TR B S 10L35 SLA 730 RGB ASY CL2 MGR	LED		9,3	96273323
TR B S 10L35 SLA 740 RGB R/S CL1 MGR	LED		9,3	96273329
TR B S 10L35 SLA 740 RGB ASY CL1 MGR	LED		9,3	96273330
TR B S 10L35 SLA 730 RGB R/S CL1 MGR	LED		9,3	96273331
TR B S 10L35 SLA 730 RGB ASY CL1 MGR	LED		9,3	96273332
TR B S 10L35 SLA 740 RGB R/S CL2 MGR	LED		9,3	96273333
Thor Bollard Wide, Lit band, flange mounted				
TR B W 10L25 740 RGB R/S CL1 MPL	LED		9	96264261
TR B W 10L25 740 RGB ASY CL1 MPL	LED		9	96264262
TR B W 10L25 730 RGB R/S CL1 MPL	LED		9	96264263
TR B W 10L25 730 RGB ASY CL1 MPL	LED		9	96264264
TR B W 10L25 740 RGB R/S CL2 MPL	LED		9	96264269
TR B W 10L25 740 RGB ASY CL2 MPL	LED		9	96264270
TR B W 10L25 730 RGB R/S CL2 MPL	LED		9	96264271
TR B W 10L25 730 RGB ASY CL2 MPL	LED		9	96264272
Thor Bollard Wide, No lit band, flange mounted				
TR B W 10L25 740 R/S CL1 MPL	LED		9	96264257
TR B W 10L25 740 ASY CL1 MPL	LED		9	96264258
TR B W 10L25 730 R/S CL1 MPL	LED		9	96264259
TR B W 10L25 730 ASY CL1 MPL	LED		9	96264260
TR B W 10L25 740 R/S CL2 MPL	LED		9	96264265
TR B W 10L25 740 ASY CL2 MPL	LED		9	96264266
TR B W 10L25 730 R/S CL2 MPL	LED		9	96264267
TR B W 10L25 730 ASY CL2 MPL	LED		9	96264268
Connection box, Slim version				
TEMPO16 CL2 4X16 1C/C			0,46	96012372
Connection box, Wide version				
CONNECT CABLE BOX 3/4x2,5² IP67			0,4	96257908
MGR base adaptors				
MGR SPIKE RAZE/DCO/THOR/CANDLE BOL			10	96635553
MGR BASE RAZE/DCO/THOR/CANDLE BOL			6	96635554